

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	146	380/201.ccls. and @pd>"20050214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:32
L2	25	380/202.ccls. and @pd>"20050214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:32
L3	32	380/203.ccls. and @pd>"20050214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:32
L4	60	"file management" and "digital versatile disk" and @pd>"20050214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:32
L5	40	"digital versatile disk" and "prohibit" and "recorded" and @pd>"20050214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:32
L6	4	"writable disk" and "data stream" and @pd>"20050214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:32
L7	21	"file identifier" and "digital versatile disk" and @pd>"20050214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:33
L8	8	HAN near SEOG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:33
L9	28	file adj descript\$5 with (renam\$4 mov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:34
L10	0	file adj descript\$5 same prohibit\$4 with (renam\$4 mov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:34

L11	0	file adj descript\$5 same permit\$4 with (renam\$4 mov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:34
L12	3110	descript\$5 same permit\$4 with (renam\$4 mov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:35
L13	6	file with descript\$5 same permit\$4 with (renam\$4 mov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:35
L14	34	file with descript\$5 same allow\$4 with (renam\$4 mov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 10:35
L15	51	file with attribute same (allow\$4 permit\$4 prhibit\$4) with (renam\$4 mov\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 10:35
L16	3	rename adj inhibit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/06 10:35

michael.pyzocha@gmail.com | [My Account](#) | [Sign out](#)[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)^{New!} [more »](#)

netware "rename inhibit"

[Advanced Search](#)
[Preferences](#)**Web**

Results 1 - 10 of about 642 for netware "rename inhibit". (0.33 seconds)

Attributes

When Read Only is set or cleared, **NetWare** also sets or clears the Delete Inhibit and **Rename Inhibit** attributes. Consequently, a user can't write to, erase, ...

www.novell.com/documentation/nw42/cncptenu/data/hbi2ol10.html - 13k - [Cached](#) - [Similar pages](#)

Novell Documentation: **NetWare** 5.1 - Setting Directory or File ...

Rename Inhibit prevents the directory or file name from being modified. ...

You can change the attributes of a directory or file with **NetWare** Administrator ...

www.novell.com/documentation/lg/nw51/trad_enu/data/h8gdk9xq.html - 17k -

[Cached](#) - [Similar pages](#)

[[More results from www.novell.com](#)]

Microsoft - Comparing Windows XP Professional and **NetWare** Security

A **NetWare** trustee right, the equivalent to a Windows 2000 or Windows XP ...

Read-only (R), Ro (Read only), Di (Delete inhibit), Ri (**Rename inhibit**) ...

www.microsoft.com/resources/documentation/Windows/XP/all/reskit/en-us/prch_cnn_itmn.asp - 15k -

[Cached](#) - [Similar pages](#)

Windows NT: Migration Tool For **NetWare**

The Windows NT Server Migration Tool for **NetWare** enables you to migrate **NetWare**

... **Rename Inhibit** (R), Read Audit (Ra), Shareable (Sh), Transactional (T), ...

www.microsoft.com/technet/archive/winntas/proddocs/network/xns14.mspx - 104k -

[Cached](#) - [Similar pages](#)

[[More results from www.microsoft.com](#)]

Netware Server Management: RK NetPlus

View and set **Netware** extended file attributes; (Shareable, Transactional, Execute Only, Copy Inhibit, Delete Inhibit, **Rename Inhibit**). Net-Filer Screen Shot ...

www.rksoftware.com/netplus.html - 17k - [Cached](#) - [Similar pages](#)

FLAG

Explanation: You tried to use the **Rename Inhibit** file attribute to flag a file located on a **NetWare** 2 server. This attribute only works on files located on ...

docs.hp.com/en/J2771-90017/ch01s15.html - 33k - [Cached](#) - [Similar pages](#)

A

Not supported in **NetWare** Services. **Rename Inhibit** [Ri]. Prevents any user from renaming the directory. System [Sy]. Prevents DOS directories used only by ...

docs.hp.com/en/J2771-90012/ch01s01.html - 57k - [Cached](#) - [Similar pages](#)

[[More results from docs.hp.com](#)]

ClipX - Novlib 3.30 Online Reference - directory services ...

... Reserved for later releases of **NetWare** 386. Ro Read Only: only applicable to files.

Automatically assigns Delete Inhibit and **Rename Inhibit** attributes as well. ...

www.clipx.net/ng/novlib/ng12db3b.php - 9k - Supplemental Result - [Cached](#) - [Similar pages](#)

Netware 3.12 Basics - Parts 6, 7, & 8

In **NetWare**, there are three type of drives: local drives, network drives, ...

However, the file you want to copy is flagged with the **Rename Inhibit** ...

www.delmar.edu/Courses/CIS306/NW3Part6.htm - 19k - [Cached](#) - [Similar pages](#)

